

FICHA TÉCNICA

DATA SHEET



CORTINA IZZER 4 CAPAS

Descripción:

Cortina fonoabsorbente de 4 capas blackout de tejido IZZER, 100% lana natural, con PX210. Proporciona absorción acústica del 100%, 8,6 dB de insonorización, mejora en un 30% el aislamiento térmico de una ventana doble climalit y elimina la radiación solar con su núcleo de fibra de carbono.


Características

Composición: Tejido fonoabsorbente IZZER + no-tejido fibra carbono PX210

- Espesor: 8mm
- Absorción acústica: $\alpha_w 1 / 100\%$ - NRC 1
- Insonorización: 8,6dB
- Resistencia a fuego: B-S1-D0
- Garantía: 10 años

A medida:

- Ancho 140cm
- Alto a medida
- Siempre en metros lineares enteros



IZZER 4-LAYERS CURTAIN

Description:

Sound-absorbing curtain available in 4 layers, made with IZZER, 100% natural wool, with PX210. It offers 100% of sound absorption and provides up to 8,6dB of acoustic insulation. It also improves the thermal insulation of a double-glazed window by 30%, and blocks solar radiation thanks to its carbon fibre core.

Characteristics

Composition: Sound-absorbing IZZER fabric + PX210 carbon fibre nonwoven

- Thickness: 8mm
- Acoustic absorption: $\alpha_w 1 / 100\%$ - NRC 1
- Acoustic insulation: 8,6dB
- Fire resistance: B-S1-D0
- Guarantee: 10 years

Custom-made:

- Width 140cm
- Height: made to measure
- Always supplied in whole linear meters



Instalación:

- Colgado: con raíles o arandelas para barra

Installation:

- Hanging system: available with rails or eyelets for a hanging bar.

Detalles



Raíles
Rails




Arandelas
Eyelets



Details:

4 layers / 4 capas



Limpieza:

Véase manual del distribuidor: página 205

Cleaning:

See the dealer's manual: page 204


Absorción

Absorption:

f (Hz)	α_a	α_p
100	0,15	
125	0,32	0,30
160	0,39	
200	0,79	
250	0,92	0,90
315	1,05	
400	1,11	
500	1,07	1,00
630	1,05	
800	1,02	
1000	1,03	1,00
1250	1,06	
1600	1,06	
2000	1,10	1,00
2500	1,17	
3150	1,22	
4000	1,26	1,00
5000	1,29	

Weighted sound absorption coefficient according to EN ISO 11654:1997

$\alpha_w = 1,00$



10
YEARS
WARRANTY

Ensayado por Tested by

tecnalia Inspiring Business

Nº test: B2023-195-M954




STANDARD 100



ISO 14001
BUREAU VERITAS
Certification



ISO 14006
BUREAU VERITAS
Certification



Tejidos

Fabrics:

IZZER



 **ISINAC**
the acoustic comfort[®]

+34 664 286 208
info@isinac.com

AVISO LEGAL: La utilización, copia o divulgación por cualquier medio del presente documento, sin autorización del remitente, está prohibida y podrá dar lugar al ejercicio de las acciones legales oportunas. ISINAC ACOUSTIC WORLD SLU - ESB27853381 - AVDA. RAMON NIETO 125, 36205 - VIGO (ESPAÑA)

LEGAL NOTICE: The use, reproduction, or disclosure of this document by any means, without the sender's authorization, is prohibited and may result in the exercise of appropriate legal actions. ISINAC ACOUSTIC WORLD SLU - ESB27853381 - AVDA. RAMON NIETO 125, 36205 - VIGO (SPAIN)