

## FICHA TÉCNICA

## DATA SHEET



### ABSORBRELLA ILUCS

#### Descripción:

Patente y diseño industrial de ISINAC que logra absorción acústica, aislamiento acústico y aislamiento térmico en productos de arquitectura textil de exterior e interior como velas, pérgolas, toldos, parasoles y carpas.

#### Características

##### Composición: Tejido ILUCS

- Rango de absorción: 100Hz - 5000Hz
- Absorción acústica:  $a_w = 0,9$
- Aislamiento acústico: 5dB
- Aislamiento térmico: +89%
- Resistencia a fuego (EN 13051-1):  
ILUCS B-S1-D0
- Dimensiones a medida
- Certificado OEKO-TEX (11-43686):  
Standard 100 n°2026OK1696 (capa INTERLOCK) y SteP
- Garantía: 2 años
- Código TARIC: 6307 90 98 90

#### Aplicaciones:

- Toldo
- Pérgola
- Parasol
- Vela
- Palillero

### ILUCS ABSORBRELLA

#### Description:

ISINAC's patent and industrial design that brings acoustic absorption, acoustic insulation and thermal insulation in outdoor and indoors textile architectural products such as sails, pergolas, awnings, parasols and tents.

#### Characteristics


##### Composition: ILUCS fabric

- Absorption range: 100Hz - 5000Hz
- Acoustic absorption:  $a_w = 0,9$
- Acoustic insulation: 5dB
- Thermal insulation: +89%
- Fire resistance (EN 13051-1):  
ILUCS B-S1-D0
- Custom-made
- OEKO-TEX certificate (11-43686):  
Standard 100 n°2026OK1696 (capa INTERLOCK) & SteP
- 2-years warranty
- TARIC Code: 6307 90 98 90


#### Applications:

- Awning
- Pergola
- Parasol
- Sail
- Palillero


## Toldo Awning




## Pérgola Pergola




## Parasol Parasol



## Vela Sail



## Palillero Palillero



### Limpieza:

Véase manual del producto: página 43

### Cleaning:

See the product's manual: page 42










































Ensayado por Tested by



## Colores estándar

## Standard colours:

# ILUCS

											
429	26	424	433	423	422	100	421	160	455	420	419
											
430	432	428	426	084	175	106	079	416	425	418	415
											
417	414	108	434	165	173	094	431	081	182	427	046
					sublimado sublimated						
009	156	516	572								



+34 664 286 208  
info@isinac.com

AVISO LEGAL: La utilización, copia o divulgación por cualquier medio del presente documento, sin autorización del remitente, está prohibida y podrá dar lugar al ejercicio de las acciones legales oportunas. ISINAC ACOUSTIC WORLD SLU – ESB27853381 – AVDA. RAMON NIETO 125, 36205 – VIGO (ESPAÑA)

LEGAL NOTICE: The use, reproduction, or disclosure of this document by any means, without the sender's authorization, is prohibited and may result in the exercise of appropriate legal actions. ISINAC ACOUSTIC WORLD SLU – ESB27853381 – AVDA. RAMON NIETO 125, 36205 – VIGO (SPAIN)