

FICHA TÉCNICA

DATA SHEET



TEJIDO NO-TEJIDO PX

Descripción:

Tejido no-tejido ISINAC fabricado en fibra de carbono. Muy estable al fuego. Disponible en color negro azabache y en densidades 210 gr/m² o 500 gr/m². El ancho es de 165 cm.

Características

Composición: Tejido no-tejido fibra de carbono

- Densidades: 210 gr/m² o 500 gr/m²
- Ancho: 165cm
- Largo bobina: 50m
- Certificado OEKO-TEX (11-43686)
- Garantía: 10 años
- Resistencia a fuego (EN 13051-1): B-S1-D0

Aplicaciones:

- Refuerzo de paneles de espuma mineral
- Cortinas de 1 capa y refuerzo de cortinas ILUCS
- Techos y paredes continuas

PX NO-WOVEN FABRIC

Description:

ISINAC no-woven fabric made by carbon fibre. Highly fire-resistant. It is available in jet black colour and 210 gr/m² or 500 gr/m² densities. The width is 165 cm.

Characteristics

Composition: Carbon fibre no-woven fabric

- Densities: 210 gr/m² or 500 gr/m²
- Width: 165cm
- Coil length: 50m
- OEKO-TEX (11-43686)
- 10-years warranty
- Fire resistance: B-S1-D0

Applications:

- Mineral foam panels reinforcement
- Curtains of 1 layer and ILUCS curtains reinforcement
- Continuous ceilings and walls



Color estándar

Standard colour:



Negro azabache
Jet black



Limpieza:

Véase manual del distribuidor: página 199

Cleaning:

See the dealer's manual: page 198

Ensayado por Tested by





ISINAC

the acoustic comfort[®]



+34 677 862 675
damian@isinac.com



+34 664 286 208
info@isinac.com

AVISO LEGAL: La utilización, copia o divulgación por cualquier medio del presente documento, sin autorización del remitente, está prohibida y podrá dar lugar al ejercicio de las acciones legales oportunas. ISINAC ACOUSTIC WORLD SLU – ESB27853381 – AVDA. RAMON NIETO 125, 36205 – VIGO (ESPAÑA)

LEGAL NOTICE: The use, reproduction, or disclosure of this document by any means, without the sender's authorization, is prohibited and may result in the exercise of appropriate legal actions. ISINAC ACOUSTIC WORLD SLU – ESB27853381 – AVDA. RAMON NIETO 125, 36205 – VIGO (SPAIN)